

050	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 12/18/2019			WID Number 1263 - 050	
Waste Description: PAINT WASTE FROM CHRIMP CENTERS				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: UNUSED OR EXCESS PAINT RETURNED TO CHRIMP CENTERS FROM SHOPS FOR PROCESSING. INCLUDES ALL PAINT WASTES CONTAINING FLAMMABLE SOLVENTS, LISTED SOLVENTS, BARIUM, CADMIUM, CHROMIUM, LEAD, OR METHYL ETHYL KETONE.				
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers D001,D005,D006,D007,D008,D035,F003,F005				
Special Handling & Instructions: CONTAINERS OF PAINT MAY BE OPENED OR UNOPENED. THIS WID IS FOR USE BY CHRIMP CENTERS ONLY. UHC: METHYL ISOBUTYL KETONE, BUTYL ALCOHOL, CYCLOHEXANONE, ETHYL BENZENE, ARSENIC, PHENOL				
Remarks GHS02, GHS07, GHS08, GHS09				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. FLAMMABLE PAINTS MAY CONTAIN TCLP METALS. SEE ENCLOSED MATERIAL SAFETY DATA SHEETS		100%	1000000 ppm	
2.		%	ppm	
3.		%	ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: YES	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: NO	Flash Point: <140 F.	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: FLASH POINTS <140 F, CONTAINS > REGULATORY LIMITS OF F003 SOLVENTS, F005 SOLVENTS, METHYL ETHYL KETONE, BARIUM, CADMIUM, CHROMIUM, AND LEAD.				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G06	
Shipping Information				
DOT Shipping Name: UN1263, WASTE PAINT RELATED MATERIAL 3, PGII, D001, D005, D006, D007, D008, D035, F003, F005				
HAZ Class: 3	Reportable Quantity: 10 LBS.		Emergency Response Guide #: 128	
EPA Waste Numbers: D001,D005,D006,D007,D008,D035,F003,F005				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by Signed and Dated Copy On File </div> <div> Subase Env. Rep Review/Signature </div> </div>		