

055	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 12/31/2020			WID Number 2924 - 055	
Waste Description: PAINT WASTE FROM CHRIMP CENTERS-(BASE)				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: UNUSED OR EXCESS PAINT RETURNED TO CHRIMP CENTER FROM SHOPS FOR PROCESSING. PAINT WASTE , MAY BE CORROSIVE.				
Waste Class: HAZARDOUS WASTE			Required Container: POLY	
EPA Waste Numbers D001,D002				
Special Handling & Instructions: UNOPENED CONTAINERS OF PAINT. THIS WID IS FOR USE BY CHRIMP CENTERS ONLY. SDS PICTOGRAM HAS HAZARD STATEMENT "MAY BE CORROSIVE TO METALS" THIS PRODUCT HAS THE POSSIBILITY TO BE D002. UHC: NONE				
Remarks GHS02, GHS05, GHS06, GHS09				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. ALIPHATIC AMINE		20-30%	200000-300000ppm	
2. MODIFIED AMIDOAMINE RESIN		75-100%	750000-1000000ppm	
3. 2,4,6,-TRIS (DIMETHYLAMINOMETHYL) PHENOL		0-50%	0-500000ppm	
4. GLYCOL ETHER		0-30%	0-300000ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: YES	Dioxin Listed: NO	
Corrosive: YES	pH: BETWEEN 10 AND 12	Reactive: NO	Flash Point: 39.2 F.	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: FLASH POINT 39.2 DEGREES F.				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G06	
Shipping Information				
DOT Shipping Name: UN3469, WASTE PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE, 3,8, PGII, D001, D002				
HAZ Class: 3, 8	Reportable Quantity: 100 LBS.		Emergency Response Guide #: 153	
EPA Waste Numbers: D001,D002				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by Signed and Dated Copy On File </div> <div> Subase Env. Rep Review/Signature </div> </div>		