

057	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 3/16/2023			WID Number 1993 - 057	
Waste Description: PCB DETERMINATION WASTE				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: SAMPLES (USUALLY USED OILY RAGS, OCCASIONALLY RUBBER) THOUGHT TO CONTAIN PCB'S ARE BROUGHT TO LAB FOR ANALYSIS. SAMPLES ARE ANALYZED AND PREPARED PER SSLP 412/018. THIS WID WOULD COVER ALL WASTE GENERATED DURING PREPARED ANALYSIS AT THE LAB.				
Waste Class: HAZARDOUS WASTE			Required Container: POLY DRUM	
EPA Waste Numbers D001, D002				
Special Handling & Instructions:				
Remarks GHS02, GHS05				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. HEXANE		48.2-83.4%	482000-834000ppm	
2. SULFURIC ACID		10.4-34.5%	104000-345000ppm	
3. PCB'S IN OIL		2.7-34.5%	27000-345000ppm	
4. FLORISIL		0-4.1%	0-41000ppm	
5. DECACHLOROBIPHENYL		.0007-.03%	7-300ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: YES	pH: <2	Reactive: NO	Flash Point: -7	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: FLASH POINT -7, PH <2				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G22	
Shipping Information				
DOT Shipping Name: UN1993, WASTE FLAMMABLE LIQUID NOS (HEXANE/OIL, PCB'S) 3, PGII, D001, D002				
HAZ Class: 3	Reportable Quantity: 100 LBS.		Emergency Response Guide #: 128	
EPA Waste Numbers: D001, D002				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by _____ Signed and Dated Copy On File ____ </div> <div> Subase Env. Rep _____ Review/Signature_____ </div> </div>		