

059	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 1/12/2022			WID Number 3432 - 059	
Waste Description: PAINT RELATED ITEMS/DEBRIS AND/OR ASBESTOS/PCB'S (NRMD)				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: SOLID PAINT RELATED MATERIALS (ITEMS/DEBRIS) GENERATED DURING PREPARATION/PAINTING PROCESS WHICH MAY BE CONTAMINATED WITH BARIUM, CADMIUM, CHROMIUM, OR LEAD EXCEEDING TCLP LIMITS, MAY CONTAIN ASBESTOS AND/OR PCB'S. (THIS WID APPLIES TO PAINT ITEMS/DEBRIS GENERATED AT NRMD ONLY)				
Waste Class: HAZARDOUS WASTE			Required Container: POLY/STEEL	
EPA Waste Numbers D005,D006,D007, D008				
Special Handling & Instructions: ONE OR MORE OF THESE EPA WASTE CODES MAY APPLY. NO FREE LIQUIDS ALLOWED IN CONTAINERS. UHC: NONE				
<b>Remarks</b> ASBESTOS FIBERS MAY LEAD TO ASBESTOSIS, LUNG CANCER OR MESOTHELIOMA. POLYCHLORINATED BIPHENYLS>50PPM. GHS07, GHS08, GHS09				
<b>For Environmental Department Use Only - - - - Material Composition</b>				
Component		Percent	Parts Per Million	
1. DEBRIS/ITEMS		95.00%	950000ppm	
2. CADMIUM, CHROMIUM, BARIUM, LEAD AND/OR ASBESTOS AND PCB'S		5%	50000ppm	
3.		%	ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: SOLID	Waste Water: NO	Toxic: YES	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: NO	Flash Point: N/A	
High TOC:	Low TOC :	Land Ban: YES	Flammable: NO	
Reason for Classification: TCLP LISTED CONTAMINANTS GREATER THAN REGULATORY PERMISSIBLE LIMITS				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G06	
<b>Shipping Information</b>				
DOT Shipping Name: UN3432, WASTE POLYCHLORINATED BIPHENYLS, SOLID, NOS (BARIUM, CADMIUM, CHROMIUM, OR LEAD) 9, PGII, D005, D006, D007, D008				
HAZ Class: 9	Reportable Quantity: 1 LBS.	Emergency Response Guide #: 171		
EPA Waste Numbers: D005,D006,D007, D008				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		Prepared by _____ Subase Env. Rep Signed and Dated Copy On File _____ Review/Signature _____		