

225	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 2/16/2021			WID Number 1219 - 225	
Waste Description: ALCOHOL, ISOPROPYL AND ETHYLENE GLYCOL				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: ETHYLENE GLYCOL OR SILICON DAMPENING FLUID IS DRAINED OUT OF TANK LEVEL INDICATORS (TLI). SYSTEM IS FLUSHED WITH ISOPROPYL ALCOHOL.				
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers D001				
Special Handling & Instructions:				
Remarks GHS07, GHS08				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. ISOPROPYL ALCOHOL		96%	960000ppm	
2. ETHYLENE GLYCOL OR		2%	20000ppm	
3. SILICON DAMPENING FLUID		2%	20000ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: NO	Flash Point: 53 F.	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: FLASH POINT = 53 F				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G07	
Shipping Information				
DOT Shipping Name: UN1219, WASTE ISOPROPYL ALCOHOL, 3, PGII, D001				
HAZ Class: 3	Reportable Quantity: N/A LBS.		Emergency Response Guide #: 129	
EPA Waste Numbers: D001				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div>Prepared by</div> <div>Signed and Dated Copy On File</div> <div>Subase Env. Rep</div> <div>Review/Signature</div>		