

226	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 12/19/2017			WID Number 1993 - 226	
Waste Description: ETHANOL/ISOPROPANOL AND OIL				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: ETHANOL/ISOPROPANOL IS USED TO REMOVE SILICONE OIL RESIDUE AND PARAFFINIC DISTILLATE LUBRICATION OIL FROM HYDRAULIC LINES AND GAUGES.				
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers D001				
Special Handling & Instructions: DO NOT MIX THIS WASTE WITH USED OIL.				
Remarks GHS02, GHS07				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. ETHANOL/ISOPROPANOL		95%	950000 ppm	
2. SILICONE OIL		5%	50000 ppm	
3.		%	ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: NO	Flash Point: 60 F.	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: FLASH POINT = 60 DEGREES F				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G13	
Shipping Information				
DOT Shipping Name: UN1993, WASTE FLAMMABLE LIQUID, NOS (ETHANOL/ISOPROPANOL) 3, PGII, D001				
HAZ Class: HAZARDOUS WASTE	Reportable Quantity: 100 LBS.		Emergency Response Guide #: 128	
EPA Waste Numbers: D001				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by Signed and Dated Copy On File </div> <div> Subase Env. Rep Review/Signature </div> </div>		