

238	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 1/12/2022			WID Number 1993 - 238	
Waste Description: HAND SANITIZERS				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: OFF SPECIFICATION, EXPIRED SHELF LIFE IN DAMAGED OR OPENED CONTAINERS. MANUFACTURERS: MEDICHOICE INSTANT HAND SANITIZERS AND PURELL INSTANT HAND SANITIZERS.				
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers D001				
Special Handling & Instructions:				
Remarks GHS02				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. ETHANOL		62.00%	620000ppm	
2. ISOPROPANOL		<10%	<100000ppm	
3. NON RCRA INGREDIENTS FOR HAND SANITIZER		>28%	>280000ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: NO	Flash Point: 86 F	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: FLAMMABLE				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G11	
Shipping Information				
DOT Shipping Name: UN1987, WASTE ALCOHOLS NOS (ETHYL ALCOHOL) 3, PGII, D001				
HAZ Class: 3	Reportable Quantity: 100 LBS.		Emergency Response Guide #: 127	
EPA Waste Numbers: D001				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by _____ Signed and Dated Copy On File _____ </div> <div> Subase Env. Rep _____ Review/Signature _____ </div> </div>		