

241	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 12/19/2017			WID Number 1219 - 241	
Waste Description: NDT INSPECTION WASTE				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: (1)APPLY ISOPROPYL ALCOHOL TO BOLTS FOR INITIAL CLEANING. (2)APPLY MAGNAFLUX ZYGLO PENETRANT,ZL-56. (3)WATER RINSE WITH SPRAY BOTTLE (COLLECT RUN-OFF). (4)DRY WITH SHOP RAGS. (5)APPLY MAGNAFLUX SPOT CHECK DEVELOPER SKD-S2. (6)INSPECT BOLTS. (7)POST CLEAN BOLTS WITH ISOPROPYL ALCOHOL.				
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers D001				
Special Handling & Instructions:				
Remarks GHS02, GHS05, GHS07, GHS08				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. MAGNAFLUX ZYGLO PENETRANT, ZL-56		10%	100000 ppm	
2. MAGNAFLUX SPOT CHECK DEVELOPER SLD-S2		5%	50000 ppm	
3. ISOPROPYL ALCOHOL #0357 (C-16)		5%	50000 ppm	
4. SHOP RAGS		10%	100000 ppm	
5. COLLECTED RINSE WATER		70%	700000ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: YES	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: NO	Flash Point: <140	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: FLASH POINT <140 F.				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G09	
Shipping Information				
DOT Shipping Name: UN1219, WASTE ISOPROPYL ALCOHOL, 3, PGII, D001				
HAZ Class: HAZARDOUS WASTE	Reportable Quantity: 100 LBS.		Emergency Response Guide #: 129	
EPA Waste Numbers: D001				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by Signed and Dated Copy On File </div> <div> Subase Env. Rep Review/Signature </div> </div>		