

311	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 1/16/2018			WID Number 3082 - 311	
Waste Description: OZZIE JUICE (SMART WASHER) FILTERS - SPENT				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: SMART WASHER PARTS CLEANER FILTERS ARE CHANGED OUT AT LEAST MONTHLY TO REPLENISH BACTERIAL CULTURE IN OZZIE JUICE MEDIUM. .				
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers D006,D008				
Special Handling & Instructions: UHC: CHROMIUM				
Remarks SOME LIQUID IS INEVITABLY CONTAINERIZED WITH THE FILTERS			GHS07	
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. FILTER MATERIAL		95%	950000 ppm	
2. OZZIE JUICE - AQUEOUS		4%	40000 ppm	
3. CONTAMINANTS INCLUDING CADMIUM AND LEAD		1%	10000 ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: YES	Dioxin Listed: NO	
Corrosive: NO	pH: 8.2	Reactive: NO	Flash Point: N/A	
High TOC:	Low TOC :	Land Ban: YES	Flammable: NO	
Reason for Classification: TCLP RESULTS: CADMIUM = 2.1 ppm, LEAD = 110 ppm				
Treatment Standards: 40 CFR 261		CAS# N/A	Generation Code: G16	
Shipping Information				
DOT Shipping Name: NA3082, HAZARDOUS WASTE LIQUID, NOS (LEAD AND CADMIUM) 9, PGIII, D006, D008				
HAZ Class: HAZARDOUS WASTE	Reportable Quantity: 10 LBS.		Emergency Response Guide #: 171	
EPA Waste Numbers: D006,D008				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by _____ Signed and Dated Copy On File _____ </div> <div> Subase Env. Rep _____ Review/Signature _____ </div> </div>		