509	Subase Kings Bay, Georgia			Waste Information Document (WID)				
As of 4/19/2018					WI	D Numbe	r 1832 - 509	
Waste Description: SULFURIC ACID								
Waste Material label required?: YES					Hazardous Waste label required?: YES			
Waste Generation Process: SOMETIMES RECEIVED FROM BUILDING 4026 PAINT SHOP. USED IN ETCHING OF METALS, INCLUDES BATTERY ELECTROLYTE FROM Q.C. LAB. MAY BE EXPIRED SHELF-LIFE, IN OPEN OR DAMAGED CONTAINER. INCLUDES SULFURIC ACID FROM OTHER SOURCES.								
Waste Class: HAZARDOUS WASTE					Required Container: POLY DRUM			
EPA Waste Numbers D002								
Special Handling & Instructions: TRANSPORT TO IWTF FOR NEUTRALIZATION. Remarks GHS05								
Kemarks 011505								
For Environmental Department Use Only Material Composition								
Component					Percent		Parts Per Million	
1. SULFURIC ACID					25%		250000 ppm	
2. WATER					74%		740000 ppm	
3. IMPURITIES					1%		10000 ppm	
4.					%		ppm	
5.					%		ppm	
Physical State: LIQUID Waste Water: NO				Т	Toxic: NO		Dioxin Listed: NO	
Corrosive	prrosive: YES pH: 1.0			R	Reactive: NO		Flash Point: N/A	
· ·	High TOC: Low TOC:				Land Ban: YES		Flammable: NO	
Reason for Classification: CHARACTERISTIC WASTE pH BETWEEN 0 - 1.0								
Treatment Standards: 40 CFR 261 CA				CAS#	7664-93-9	Generation Code: G11		
Shipping Information								
DOT Shipping Name: UN1832 SULFURIC ACID, SPENT, 8, PGII, D002								
HAZ Class: HAZARDOUS WASTE Reportable Quantity				uantity: 1	00 LBS.	Emergency Response Guide #: 137		
EPA Waste Numbers: D002								
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present. Prepared by Subase Env. Rep Signed and Dated Copy On File Review/Signature								