

574	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 2/19/2015		WID Number 5021 - 574		
Waste Description: SODIUM CHLORIDE SOLUTION				
Waste Material label required?: NO		Hazardous Waste label required?: NO		
Waste Generation Process: SODIUM CHLORIDE SOLUTION IS A STANDARD FOR TESTING CHLORIDE LEVELS. EXPIRED SHELF LIFE, IN OPEN OF DAMAGED CONTAINERS.				
Waste Class: NON-RCRA		Required Container: SEWER		
EPA Waste Numbers NONE				
Special Handling & Instructions: DISPOSE OF LIQUID INTO SANITARY SEWER SYSTEM OR CONTACT BOSC AT 8686 FOR PICKUP AND TRANSFER TO IWTF FOR TREATMENT.				
Remarks				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent		Parts Per Million
1. WATER		99%		990000 ppm
2. SODIUM CHLORIDE		1%		10000 ppm
3.		%		ppm
4.		%		ppm
5.		%		ppm
Physical State: LIQUID	Waste Water: YES	Toxic: NO		Dioxin Listed: NO
Corrosive: NO	pH: 8.00	Reactive: NO		Flash Point: N/A
High TOC:	Low TOC :	Land Ban: NO		Flammable: NO
Reason for Classification: NON LISTED, NON CHARACTERISTIC				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G11	
Shipping Information				
DOT Shipping Name: NON REGULATED LIQUID				
HAZ Class: NON-RCRA	Reportable Quantity: N/A LBS.		Emergency Response Guide #: N/A	
EPA Waste Numbers: NONE				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by Signed and Dated Copy On File </div> <div> Subase Env. Rep Review/Signature </div> </div>		