

577	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 3/9/2022			WID Number 5023 - 577	
Waste Description: X-OMAT FIXER (SPENT) AND 1st RINSE: POST-AG RECOVERY, RIB AND NDT				
Waste Material label required?: YES			Hazardous Waste label required?: NO	
Waste Generation Process: BEFORE LONG PERIODS OF SHUT DOWNS OR ONCE CHEMICAL POTENCY HAS EXHAUSTED CAUSING INFERIOR FILM DEVELOPMENT, THE X-OMAT DEVELOPER AND FIXER TANKS MUST BE DRAINED AND CLEANED. THE PLUGS ARE PULLED AND CHEMICALS ARE PROCESSED THROUGH SILVER RECOVERY SYSTEM INTO SAA DRUM. BOTH TANKS AND COMPONENTS ARE THEN RINSED WITH TAP WATER VIGOROUSLY (2) TIMES. ROLLER RACKS ARE THEN REMOVED TO SINK.				
Waste Class: NON HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers NONE				
Special Handling & Instructions: TRANSPORT TO IWTF FOR TREATMENT. SPENT FIXER AND 1st RINSE WATER SHOULD BE REMOVED, CAPTURED, AND PLACED IN A STEEL/POLY DRUM FOR SILVER RECOVERY.				
Remarks LAB ANALYSIS AFTER SILVER RECOVERY CARTRIDGE CHANGED OUT				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. SEE SAMPLE ID 2022-0041		%	ppm	
2. WATER		90%	900000ppm	
3. FIXER/DEVELOPER WATER		10%	100000ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: NO	pH: 5.00	Reactive: NO	Flash Point: N/A	
High TOC:	Low TOC :	Land Ban: NO	Flammable: NO	
Reason for Classification: NON LISTED, NON CHARACTERISTIC				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G09	
Shipping Information				
DOT Shipping Name: NON REGULATED LIQUID				
HAZ Class: NONE		Reportable Quantity: N/A LBS.	Emergency Response Guide #: N/A	
EPA Waste Numbers: NONE				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by _____ Signed and Dated Copy On File ____ </div> <div> Subase Env. Rep _____ Review/Signature_____ </div> </div>		