

590	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 1/12/2022			WID Number 3082 - 590	
Waste Description: OZZIE JUICE FROM "SMART WASHER" - SPENT				
Waste Material label required?: YES			Hazardous Waste label required?: YES	
Waste Generation Process: OZZIE JUICE IS A BACTERIAL CULTURE MEDIUM AND PARTS WASHING FLUID. CHANGED OUT WHEN REQUIRED DUE TO EXCESSIVE CONTAMINATION.				
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY	
EPA Waste Numbers D006, D008				
Special Handling & Instructions: UHC: BARIUM, CHROMIUM, SILVER				
Remarks GHS07, GHS08				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. OZZIE JUICE 1 & 2 - AQUEOUS		95.00%	950000ppm	
2. NON-RCRA CONTAMINANTS		5%	50000ppm	
3.		%	ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: YES	Dioxin Listed: NO	
Corrosive: NO	pH: 8.2	Reactive: NO	Flash Point: N/A	
High TOC:	Low TOC :	Land Ban: YES	Flammable: NO	
Reason for Classification: CONTAINS CADMIUM AND LEAD				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: G08	
Shipping Information				
DOT Shipping Name: NA3082, HAZARDOUS WASTE LIQUID, NOS (CADMIUM, AND LEAD) 9, PGIII, D006, D008				
HAZ Class: 9		Reportable Quantity: 10 LBS.	Emergency Response Guide #: 171	
EPA Waste Numbers: D006, D008				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div> <div>Prepared by</div> <div>Subase Env. Rep</div> </div> <div> <div>Signed and Dated Copy On File</div> <div>Review/Signature</div> </div>		