

591	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 6/24/2015		WID Number 5000 - 591		
Waste Description: SEALTIGHT WP-40 WATER BASE CURING COMPOUND				
Waste Material label required?: YES		Hazardous Waste label required?: NO		
Waste Generation Process: MATERIAL IN OPENED OR DAMAGED CONTAINERS. OUT OF SHELF LIFE. EXCESS MATERIAL.				
Waste Class: NON-RCRA		Required Container: STEEL / POLY		
EPA Waste Numbers NONE				
Special Handling & Instructions:				
Remarks				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. WATER		99%	990000 ppm	
2. PETROLEUM SOLVENT		1%	10000 ppm	
3.		%	ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: LIQUID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: NO	pH: 8.50	Reactive: NO	Flash Point: N/A	
High TOC:	Low TOC :	Land Ban: NO	Flammable: NO	
Reason for Classification: NON LISTED, NON CHARACTERISTIC				
Treatment Standards: 40 CFR 261		CAS# SOLUTION	Generation Code: G11	
Shipping Information				
DOT Shipping Name: NON REGULATED LIQUID				
HAZ Class: NON-RCRA	Reportable Quantity: N/A LBS.		Emergency Response Guide #: N/A	
EPA Waste Numbers: NONE				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by  Signed and Dated Copy On File </div> <div> Subase Env. Rep  Review/Signature </div> </div>		