

600	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 1/30/2019			WID Number 5000 - 600	
Waste Description: ANALYTICAL WASTE (USED/UNUSED)				
Waste Material label required?: YES			Hazardous Waste label required?: NO	
Waste Generation Process: USED OR UNUSED TEST KITS, AMPOULES, ELECTRODES, AND ETC. CONTAINING NON-CHARACTERISTIC, NON-LISTED SUBSTANCE. EXCESS MATERIAL, OFF-SPECIFICATION, EXPIRED SHELF LIFE, MATERIAL IN OPEN OR DAMAGED CONTAINERS.				
Waste Class: NON-RCRA			Required Container: STEEL / POLY	
EPA Waste Numbers NONE				
Special Handling & Instructions:				
Remarks				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. SULFUR		65%	650000 ppm	
2. COPPER IODIDE		25%	250000 ppm	
3. SILICA		10%	100000 ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: SOLID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: NO	Flash Point: N/A	
High TOC:	Low TOC :	Land Ban: NO	Flammable: NO	
Reason for Classification: NON LISTED, NON CHARACTERISTIC				
Treatment Standards: 40 CFR 261		CAS# N/A	Generation Code: G11	
Shipping Information				
DOT Shipping Name: NON REGULATED SOLID				
HAZ Class: NON-RCRA	Reportable Quantity: N/A LBS.		Emergency Response Guide #: N/A	
EPA Waste Numbers: NONE				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by  Signed and Dated Copy On File </div> <div> Subase Env. Rep  Review/Signature </div> </div>		