

707	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 5/6/2021		WID Number 5000 - 707		
Waste Description: CAPACITORS WITH GLYCOL AND NON-PCB BALLAST				
Waste Material label required?: NO		Hazardous Waste label required?: NO		
Waste Generation Process: CAPACITORS REMOVED FROM SUBMARINES DURING REFIT/UPGRADE PROJECT.				
Waste Class: NON HAZARDOUS WASTE		Required Container:		
EPA Waste Numbers NONE				
Special Handling & Instructions:				
Remarks				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent		Parts Per Million
1. CAPACITORS CONTAINING GLYCOL AND NON-PCB BALLAST		100%		1000000ppm
2.		%		ppm
3.		%		ppm
4.		%		ppm
5.		%		ppm
Physical State: SOLID	Waste Water: NO	Toxic: NO		Dioxin Listed: NO
Corrosive: NO	pH: N/A	Reactive: NO		Flash Point: N/A
High TOC:	Low TOC :	Land Ban: NO		Flammable: NO
Reason for Classification: NON LISTED, NON CHARACTERISTIC				
Treatment Standards: 40 CFR 261		CAS# NONE		Generation Code: S01
Shipping Information				
DOT Shipping Name: NON REGULATED LIQUID				
HAZ Class: NON REGULATED		Reportable Quantity: N/A LBS.		Emergency Response Guide #: N/A
EPA Waste Numbers: NONE				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		<div style="display: flex; justify-content: space-between;"> <div> Prepared by _____  Signed and Dated Copy On File ____ </div> <div> Subase Env. Rep _____  Review/Signature_____ </div> </div>		