890 Subase Kings Bay, Georgia		Waste Information Document (WID)				
As of 6/18/2021			WI	D Numbe	r 2320 - 890	
Waste Description: CATAL	YST (CORROSIVE)					
Waste Material label required?: YES			Hazardous Waste label required?: YES			
Waste Generation Process: MOPENED CONTAINERS.	MATERIAL OFF SPECII	FICATIO	N, EXCEEDED SI	HELF LIF	E IN DAMAGED OR	
Waste Class: HAZARDOUS WASTE			Required Container: STEEL / POLY			
EPA Waste Numbers D002						
Remarks GHS05, GHS06, 0						
For Environmental Department Use Only Material Composition						
Component  1. TETRAETHYLENE PENTAMINE			Percent 90-100%		Parts Per Million 900000-1000000ppm	
2. TRIETHYLENETETRAMINE			1-5%		10000-50000ppm	
3.			%		ррт	
4.			%		ppm	
5.			%		ppm	
Physical State: LIQUID	Waste Water: NO		Toxic: NO		Dioxin Listed: NO	
Corrosive: YES	pH: >12.5	F	Reactive: NO		Flash Point: 320	
High TOC:			Land Ban: YES		Flammable: NO	
Reason for Classification: SDS D002: CORROSIVE						
Treatment Standards: 40 CFR 261		CAS#	AS# N/A		Generation Code: G11	
	Ship	ping Info	ormation			
DOT Shipping Name: UN2320, WASTE TETRAETHYLENE PENTAMINE, 8, PGIII, D002						
HAZ Class: 8 Reportable Qu		Quantity:	ntity: 100 LBS.		Emergency Response Guide #: 153	
EPA Waste Numbers: D002						
Certification: I certify that the are the only compounds includescribed and no other substates		Prepared by d and Dated Copy (	— On File	Subase Env. Rep Review/Signature		