

973M	Subase Kings Bay, Georgia		Waste Information Document (WID)	
As of 3/22/2018		WID Number 257 - 973M		
Waste Description: ORDNANCE - DETONATOR (DELAYED) P/N 5945538-001/002				
Waste Material label required?: YES		Hazardous Waste label required?: YES		
Waste Generation Process: FUSES AND/OR DETONATORS WHICH FAILED INSPECTION AND/OR TESTING				
Waste Class: HAZARDOUS WASTE		Required Container: WOOD		
EPA Waste Numbers D003				
Special Handling & Instructions: PACKAGE FAILED FUSES (DETONATORS) PER OD 60829, SECTION 4.4.5. CONTACT EOD FOR PROPER DISPOSAL. ADD COMPLETED HAZARDOUS MATERIAL AND HAZARDOUS WASTE LABELS.				
Remarks GHS01				
For Environmental Department Use Only - - - - Material Composition				
Component		Percent	Parts Per Million	
1. DETONATOR (DELAYED)		100%	1000000 ppm	
2. CLASS 1.4B EXPLOSIVE		%	ppm	
3.		%	ppm	
4.		%	ppm	
5.		%	ppm	
Physical State: SOLID	Waste Water: NO	Toxic: NO	Dioxin Listed: NO	
Corrosive: NO	pH: N/A	Reactive: YES	Flash Point: N/A	
High TOC:	Low TOC :	Land Ban: YES	Flammable: YES	
Reason for Classification: EXPLOSIVE WASTE (REACTIVE)				
Treatment Standards: 40 CFR 261		CAS# MIXTURE	Generation Code: M04	
Shipping Information				
DOT Shipping Name: UN0257, FUSES, DETONATING, 1.4B, PGII, D003				
HAZ Class: HAZARDOUS WASTE		Reportable Quantity: 100 LBS.	Emergency Response Guide #: 114	
EPA Waste Numbers: D003				
Certification: I certify that the above named materials are the only compounds included in the waste stream described and no other substance is present.		Prepared by _____ <i>Signed and Dated Copy On File</i>		Subase Env. Rep _____ <i>Review/Signature</i>